Pain 117 (2005) 493–495

PAIN

www.elsevier.com/locate/pain

Contents to Volume 117 (2005)

Numbers 1,2 – September 2005

TOPICAL REVIEW

The case for the inclusion of female subjects in basic science studies of pain
J.S. Mogil, M.L. Chanda (Canada) 1

RESEARCH PAPERS

Microarray analysis of gene expression following the formalin test in the infant rat
G.A. Barr, P. Gao, S. Wang, J. Cheng, J. Qin, E.L. Sibille, P. Pavlidis (USA) 6
Heat and mechanical hyperalgesia in mice model of cancer pain
H. Asai, N. Ozaki, M. Shinoda, K. Nagamine, I. Tohnai, M. Ueda, Y. Sugiura (Japan) 19
Inhibition of nociceptive dural input in the trigeminal nucleus caudalis by somatostatin receptor blockade in the posterior hypothalamus
T. Bartsch, M.J. Levy, Y.E. Knight, P.J. Goadsby (UK) 30
Systematic review on analgesics given for pain following tonsillectomy in children
K. Hamunen, V. Kontinen (Finland) 40
Passive coping is a risk factor for disabling neck or low back pain
A.C. Mercado, L.J. Carroll, J.D. Cassidy, P. Côté (Canada) 51
Effect of persistent monoarthritis of the temporomandibular joint region on acute mustard oil-induced excitation of trigeminal subnucleus caudalis neurons in male and female rats
D.A. Bereiter, K. Okamoto, D.F. Bereiter (USA) 58
Increased nerve growth factor after rat plantar incision contributes to guarding behavior and heat hyperalgesia
R.K. Banik, A.R. Subieta, C. Wu, T.J. Brennan (USA) 68
Peripheral axonal injury results in reduced μ opioid receptor pre- and post-synaptic action in the spinal cord
T. Kohno, R.-R. Ji, N. Ito, A.J. Allchorne, K. Befort, L.A. Karchewski, C.J. Woolf (USA) 77
Electrophysiological and in vivo characterization of A-317567, a novel blocker of acid sensing ion channels
G.R. Dubé, S.G. Lehto, N.M. Breese, S.J. Baker, X. Wang, M.A. Matulenko, P. Honoré, A.O. Stewart, R.B. Moreland, J.D. Brioni (USA) 88
Pain perception in major depression depends on pain modality
K.-J. Bär, S. Brehm, M.K. Boettger, S. Boettger, G. Wagner, H. Sauer (Germany) 97
Anatomy of the cervical intervertebral foramina: vulnerable arteries and ischemic neurologic injuries after transforaminal epidural injections
M.A. Huntoon (USA) 104
Possible involvement of the spinal nitric oxide/cGMP pathway in vincristine-induced painful neuropathy in mice
J. Kamei, N. Tamura, A. Saitoh (Japan) 112
Post-traumatic stress disorder symptoms, pain, and perceived life control: Associations with psychosocial and physical functioning
S.A. Palyo, J.G. Beck (USA) 121
Effects of intradermal foot and forearm capsaicin injections in normal and vulvodynia-afflicted women
D.C. Foster, R.H. Dworkin, R.W. Wood (USA) 128
Psychometric properties of the TSK-11: A shortened version of the Tampa Scale for Kinesiophobia
S.R. Woby, N.K. Roach, M. Urmston, P.J. Watson (UK) 137
Relationship between sodium channel $Na_V1.3$ expression and neuropathic pain behavior in rats
J.A. Lindia, M.G. Köhler, W.J. Martin, C. Abbadie (USA) 145
Tactile allodynia in patients with postherpetic neuralgia: Lack of change in skin blood flow upon dynamic stimulation
M. Besson, P. Brook, B.A. Chizh, A.E. Pickering (UK) 154
A longitudinal study on the predictive validity of the fear–avoidance model in low back pain
J.M. Sieben, J.W.S. Vlaeyen, P.J.M. Portegijs, J.A. Verbunt, S. van Riet-Rutgers, A.D.M. Kester, M. Von Korff, A. Arntz, J.A. Knottnerus (The Netherlands, USA) 162
Mechanisms involved in the nociception produced by peripheral protein kinase c activation in mice
J. Ferreira, K.M. Trichês, R. Medeiros, J.B. Calixto (Brazil) 171
Pronociceptive role of peripheral and spinal $5\text{-}HT_7$ receptors in the formalin test
H.I. Rocha-González, A. Meneses, S.M. Carlton, V. Granados-Soto (Mexico, USA) 182
Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons
T. Inoue, B.P. Bryant (USA, Japan) 193
Central cyclooxygenase inhibitors reduced IL-1β-induced hyperalgesia in temporomandibular joint of freely moving rats
D.K. Ahn, J.M. Chae, H.S. Choi, H.M. Kyung, O.W. Kwon, H.S. Park, D.H. Youn, Y.C. Bae (South Korea) 204

doi:10.1016/S0304-3959(05)00447-1

Molecular and behavioral changes in nociception in a novel rat model of chronic pancreatitis for the study of pain
J.H. Winston, Z.-J. He, M. Shenoy, S.-Y. Xiao, P.J. Pasricha (USA) 214
The impact of ethnic differences in response to capsaicin-induced trigeminal sensitization
P. Gazerani, L. Arendt-Nielsen (Denmark) 223

CLINICAL NOTES

Paradoxical burning sensation produced by cold stimulation in patients with neuropathic pain
D. Bowsher, C. Haggett (UK) 230
Neuropathological findings after continuous intrathecal administration of S(+)-ketamine for the management of neuropathic cancer pain
J.H. Vranken, D. Troost, J.T. Wegener, M.R. Kruis, M.H. van der Vegt (The Netherlands) 231

LETTERS TO THE EDITOR

Letter to the editor of Pain
J.L. Ochoa (United States) 236
Response to Dr Ochoa
G.D. Iannetti, L. Zambreanu, I. Tracey (UK) 236
Comment on: Acupuncture analgesia during surgery: a systematic review by Hyangsook Lee and Edzard Ernst, Pain 114 (2005) 511–517
E. Stener-Victorin, M. Cummings, T. Lundeberg (Sweden, UK) 237
Response to Stener-Victorin et al.
H. Lee, E. Ernst (South Korea, UK) 238
Words can help!
A.M. Cyna (Australia) 239
Response to Dr A.M. Cyna
E.V. Lang (USA) 239
Problems with the 'open-hidden' paradigm: the debate is still open and the answer is still hidden. Comment on Finniss and Benedetti. (Pain 2005;114:3-6)
L.A.C. Machado (Australia) 240
Response to 'Problems with the open-hidden paradigm: the debate is still open and the answer is still hidden' by Luciana AC Machado
F. Benedetti, D.G. Finniss (Australia) 241
Response to: Response to letter regarding 'Impaired self-perception of the hand in complex regional pain syndrome'
B.S. Galer (USA) 242
Response to Dr Galer
S. Förderreuther, A. Straube (Germany) 242
Letter to the Editor regarding Morley et al. Possible selves in chronic pain: Self-pain enmeshment, adjustment and acceptance
B. Finer (Sweden) 243

CLINICAL UPDATES 244

Number 3 – October 2005

EDITORIAL

Psychological distress and opioid efficacy: More questions than answers
A.C. de C Williams (UK) 245

TOPICAL REVIEW

Functional imaging of pain and analgesia—A valid diagnostic tool?
D. Borsook, L. Becerra (USA) 247

RESEARCH PAPERS

Surgical relief of causalgia with an artificial nerve guide tube: Successful surgical treatment of causalgia (Complex Regional Pain Syndrome Type II) by in situ tissue engineering with a polyglycolic acid-collagen tube
Y. Inada, S. Morimoto, K. Moroi, K. Endo, T. Nakamura (Japan) 251
Activated PKA and PKC, but not CaMKIIα, are required for AMPA/Kainate-mediated pain behavior in the thermal stimulus model
T.L. Jones, L.S. Sorkin (USA) 259
GD3 synthase gene knockout mice exhibit thermal hyperalgesia and mechanical allodynia but decreased response to formalin-induced prolonged noxious stimulation
Y. Handa, N. Ozaki, T. Honda, K. Furukawa, Y. Tomita, M. Inoue, K. Furukawa, M. Okada, Y. Sugiura (Japan) 271
Trigeminal $P2X_3$ receptor expression differs from dorsal root ganglion and is modulated by deep tissue inflammation
R. Ambalavanar, M. Moritani, D. Dessem (USA, Japan) 280
Spinal-supraspinal serotonergic circuits regulating neuropathic pain and its treatment with gabapentin
R. Suzuki, W. Rahman, L.J. Rygh, M. Webber, S.P. Hunt, A.H. Dickenson (UK) 292
A prognostic approach to defining chronic pain
M. Von Korff, D.L. Miglioretti (USA) 304
A scale for rating the quality of psychological trials for pain
S.L. Yates, S. Morley, C. Eccleston, A.C. de C. Williams (UK) 314

5α-reduced neuroactive steroids alleviate thermal and mechanical hyperalgesia in rats with neuropathic pain
S. Pathirathna, S.M. Todorovic, D.F. Covey, V. Jevtovic-Todorovic (USA) 326
Ambivalence over emotional expression in patients with gastrointestinal cancer and their caregivers: Associations with patient pain and quality of life
L.S. Porter, F.J. Keefe, I. Lipkus, H. Hurwitz (USA) 340
Neurophysiologic and quantitative sensory testing in the diagnosis of trigeminal neuropathy and neuropathic pain
S.K. Jääskeläinen, T. Teerijoki-Oksa, H. Forssell (Finland) 349
The possible role of the NO-cGMP pathway in nociception: Different spinal and supraspinal action of enzyme blockers on rat dorsal horn neurones
U. Hoheisel, T. Unger, S. Mense (Germany) 358
Investigation of the role of TRPV1 receptors in acute and chronic nociceptive processes using gene-deficient mice
K. Bölcskei, Z. Helyes, Á. Szabó, K. Sándor, K. Elekes, J. Németh, R. Almási, E. Pintér, G. Pethő, J. Szolcsányi (Hungary) 368
Brief cognitive-behavioral therapy for temporomandibular disorder pain: Effects on daily electronic outcome and process measures
J.A. Turner, L. Mancl, L.A. Aaron (USA) 377
The effects of immediate-release morphine on cognitive functioning in patients receiving chronic opioid therapy in palliative care
S.K. Kamboj, A. Tookman, L. Jones, H.V. Curran (UK) 388
Evaluation of the efficacy of intravenous acetaminophen in the treatment of acute migraine attacks: a double-blind, placebo-controlled parallel group multicenter study
E. Leinisch, S. Evers, N. Kaempfe, C. Kraemer, P. Sostak, T. Jürgens, A. Straube, A. May (Germany) 396
Inhibition of morphine tolerance by spinal melanocortin receptor blockade
K. Starowicz, I. Obara, R. Przewłocki, B. Przewlocka (Poland) 401
The measurement of postoperative pain: A comparison of intensity scales in younger and older surgical patients
L. Gagliese, N. Weizblit, W. Ellis, V.W.S. Chan (Canada) 412
NMDA receptor antagonist treatment at the time of nerve injury prevents injury-induced changes in spinal NR1 and NR2B subunit expression and increases the sensitivity of residual pain behaviours to subsequently administered NMDA receptor antagonists
J.A. Wilson, E.M. Garry, H.A. Anderson, R. Rosie, L.A. Colvin, R. Mitchell, S.M. Fleetwood-Walker (UK) 421
Modulatory effects of estrogen and progesterone on colorectal hyperalgesia in the rat
Y. Ji, B. Tang, R.J. Traub (USA) 433
Laser evoked potentials and prepulse inhibition of the blink reflex in patients with Wallenberg's syndrome
M. Veciana, J. Valls-Solé, F. Rubio, A. Callén, B. Robles (Spain) 443
The association between negative affect and opioid analgesia in patients with discogenic low back pain
A.D. Wasan, G. Davar, R. Jamison (USA) 450
Pressure and stretch mechanosensitivity of peripheral nerve fibres following local inflammation of the nerve trunk
A. Dilley, B. Lynn, S.J. Pang (UK) 462

CLINICAL NOTES

A prospective clinical analysis of pain behavior and self-injurious behavior
F.J. Symons, S.E. Danov (USA) 473
Tension-type headache as the unique pain experience of a patient with congenital insensitivity to pain
N. Danziger, J.-C. Willer (France) 478

Author Index to Volume 117 484
Subject Index to Volume 117 487
Contents to Volume 117 493